

REPLACEMENT SHEET



FIG. 1A





FIG. 1B



REPLACEMENT SHEET

FIG. 2





FIG. 3



REPLACEMENT SHEET

FIG. 4






FIG. 5










REPLACEMENT SHEET

FIG. 6



REPLACEMENT SHEET

FIG. 7

	LIGHT DIFFUSING LAYER 1	LIGHT DIFFUSING LAYER 2	→VIEWER SIDE	HORIZONTAL VIEWING ANGLE (deg)					SHARPNESS	APPEARANCE OF VIEWING SURFACE EXTERNAL LIGHT REFLECTANCE (%)	COLOR CHANGE	
				α H (1/2)	β H (1/3)	γ H (1/10)	δ H (1/20)				ΔX	ΔY
EXAMPLE 1	ORGANIC 30% THICKNESS 0.02 mm	ORGANIC 15% THICKNESS 0.02 mm		35	42	53	58		EXCELLENT	3.5 GOOD	0.01	0.01
EXAMPLE 2	ORGANIC 15% THICKNESS 0.02 mm	ORGANIC 30% THICKNESS 0.02 mm		35	42	53	58		EXCELLENT	4.2 FAIR	0.01	0.01
EXAMPLE 3	ORGANIC 15% THICKNESS 0.02 mm	ORGANIC 15% THICKNESS 0.02 mm		35	42	52	56		EXCELLENT	3.2 GOOD	0.01	0.01
EXAMPLE 4	INORGANIC 30% THICKNESS 0.02 mm	ORGANIC 15% THICKNESS 0.02 mm		35	42	55	62		EXCELLENT	3 EXCELLENT	0.005	0.005
EXAMPLE 5	ORGANIC 30% THICKNESS 0.02 mm	INORGANIC 15% THICKNESS 0.02 mm		35	42	55	60		EXCELLENT	3.4 GOOD	0.005	0.01
COMPARATIVE EXAMPLE 1	NO LIGHT DIFFUSION LAYER			35	41	51	55		EXCELLENT	4.5 FAIR	0.02	0.02
COMPARATIVE EXAMPLE 2	KNEADING OF ORGANIC DIFFUSING MATERIAL			35	42	53	58		FAIR	4 FAIR	0.02	0.02

REPLACEMENT SHEET

FIG. 8A




FIG. 8B





FIG. 9



REPLACEMENT SHEET

FIG. 10





FIG. 11



REPLACEMENT SHEET

FIG. 12





FIG. 13



REPLACEMENT SHEET

FIG. 14





FIG. 15



REPLACEMENT SHEET

FIG. 16






FIG. 17



REPLACEMENT SHEET

FIG. 18



REPLACEMENT SHEET

FIG. 19A




FIG. 19B

